CONTENTS

NUMBER 1

Editorial

1 Coronary artery disease – more disease, more patients, better treatment: *M. J. Kendall and S. L. Nuttall*

Review Article

5 The effects of *Panax ginseng* on quality of life: *C. I. Coleman, J. H. Hebert and P. Reddy*

Research and Reports

17 High-performance liquid chromatographic method for mycophenolic acid and its glucuronide in serum and urine: *D. Teshima, K. Otsubo, N. Kitagawa, S. Yoshimura, Y. Itoh and R. Oishi*

23 Developing prevalence-based prescribing units for analysing variations in general practitioner prescribing: a case study using statins: *P. R. Ward, P. R. Noyce and A. S. St Leger*

31 Perioperative infusions in paediatric patients: rationale for using Ringer-lactate solution with low dextrose concentration: *M.-P. Berleur, A. Dahan, I. Murat and G. Hazebroucq*

41 Identification of medication-related attendances at an A & E department: *R. Bednall, D. McRobbie and A. Hicks*

47 Effect of intravenous infusions of thiamine on the disposition kinetics of thiamine and its pyrophosphate: *J. Drewe, F. Delco, T. Kissel and C. Beglinger*

53 *Salvia officinalis* extract in the treatment of patients with mild to moderate Alzheimer's disease: a double blind, randomized and placebo-controlled trial: *S. Akhondzadeh, M. Noroozian, M. Mohammadi, S. Ohadinia, A. H. Jamshidi and M. Khani*

61 Factors associated with the consumption of psychotropic drugs in a cohort of men and women aged 50 and over: *F. Empereur, M. Baumann, F. Alla and S. Briançon*

Case Report

69 Reassessing the contraindication of zolmitriptan and serotonin reuptake inhibitors: an evidence-based pharmacotherapeutic case report: *A. S. W. Boutilier and D. M. Gardner*

Research Note

73 Use of pharmacoeconomics in prescribing research. Part 1: costs – moving beyond the acquisition price for drugs: *J. Robertson, D. Lang and S. Hill*

NUMBER 2

Review Article

81 Toxicological interactions involving psychiatric drugs and alcohol: an update: *E. Tanaka*

Research and Reports

97 Interindividual variation of serum haloperidol concentrations in Japanese patients – clinical considerations on steady-state serum level–dose ratios: *E. Yukawa, R. Ichimaru, T. Maki, K. Matsunaga, M. Anai, M. Yukawa, S. Higuchi and Y. Goto*

103 Adrenal cortex function in asthmatic patients following the discontinuation of chronic therapy with systemic glucocorticosteroids: *B. Kos-Kudla, N. Ciesielska-Kopacz, Z. Ostrowska, B. Marek, D. Kajdaniuk, P. Staszewicz and W. Foltyn*

109 Population pharmacokinetics of cisplatin after 120-h infusion: application to routine adaptive control with feedback: *S. Monjanel-Mouterde, J. Ciccolini, D. Bagarry, M. Zonta-David, F. Duffaud, R. Favre and A. Durand*

117 Evaluation of the quality of amodiaquine and sulphadoxine/pyrimethamine tablets sold by private wholesale pharmacies in Dar Es Salaam Tanzania: *O. M. S. Minzi, M. J. Moshi, D. Hipolite, A. Y. Massele, G. Tomson, Ö. Ericsson and L. L. Gustafsson*

123 Duration of antimicrobial therapy for nosocomial pneumonia: possible strategies for minimizing antimicrobial use in intensive care units: *H. A. Dugan, R. MacLaren and R. Jung*

131 A randomized controlled trial of a new ovule formulation of ornidazole for the treatment of bacterial vaginosis: *E. Baloğlu, M. Özyazici, A. Baloğlu and L. Ova*

137 Causality assessment of adverse drug reactions: comparison of the results obtained from published decisional algorithms and from the evaluations of an expert panel, according to different levels of imputability: *A. F. Macedo, F. B. Marques, C. F. Ribeiro and F. Teixeira*

Research Note

145 Use of pharmacoeconomics in prescribing research. Part 2: cost-minimization analysis – when are two therapies equal?: *D. Newby and S. Hill*

Letters to the Editor

151 *K. Bergmann and B. Wyn Jones*

Book Reviews

155 *J. Marriott*: Medicines in the Elderly; Pharmacy Practice

NUMBER 3

Review Articles

157 How useful is the 'cocktail approach' for evaluating human hepatic drug metabolizing capacity using cytochrome P450 phenotyping probes *in vivo*?: *E. Tanaka, N. Kurata and H. Yasuhara*

167 Insulin resistance - the new goal!: *P. Peter, S. L. Nuttall and M. J. Kendall*

Original Articles

175 Efficacy of permethrin-impregnated uniforms in the prevention of cutaneous leishmaniasis in Iranian soldiers: *A. Asilian, A. Sadeghinia, F. Shariati, M. Imam Jome and A. Ghoddusi*

179 A comparison of the β_1-selectivity of three β_1-selective β-blockers: *S. L. Nuttall, H. C. Routledge and M. J. Kendall*

187 Average bioequivalence study of clarithromycin tablets in healthy male volunteers: *M. Lohitnavy, O. Lohitnavy, K. Sareekan and W. Chaiyaput*

191 Use of gabexate mesylate in Italian hospitals: a multicentre observational study: *F. Pelagotti, M. Cecchi, A. Messori and the 'Gabexate Mesylate Study Group'*

197 What are the non-biomedical reasons which make family doctors over-prescribe antibiotics for upper respiratory tract infection in a mixed private/public Asian setting?: *T. P. Lam and K. F. Lam*

203 Structure–activity relationship: analyses of p-glycoprotein substrates and inhibitors: *R. B. Wang, C. L. Kuo, L. L. Lien and E. J. Lien*

229 Facile and rapid high-performance liquid chromatography method for simultaneous determination of allopurinol and oxypurinol in human serum: *H. Tada, A. Fujisaki, K. Itoh and T. Suzuki*

235 (R,S)-Salbutamol plasma concentrations in severe asthma: *G. A. Jacobson, F. V. Chong and R. Wood-Baker*

Case Report

239 Sulphasalazine-induced leucopenia in a patient with renal dysfunction: *D. Teshima, B. Hino, K. Makino, T. Yano, Y. Itoh, Y. Joh, M. Iida and R. Oishi*

Research Note

243 Use of pharmacoeconomics in prescribing research. Part 3: cost-effectiveness analysis - a technique for decision-making at the margin: *R. Lopert, D. L. Lang and S. R. Hill*

NUMBER 4

Commentary

251 Does paracetamol cause asthma?: *S. L. Nuttall, J. Williams and M. J. Kendall*

Original Articles

259 Prescription drug samples – does this marketing strategy counteract policies for quality use of medicines?: *K. E. M. Groves, I. Sketris and S. E. Tett*

273 Comparative study on two kidney graft rinsing and preservation solutions in terms of the post-transplantation risk of delayed graft function and cost: *J. Vincentelli, A. Luccioni, B. Devictor, B. Dussol, E. Lechevallier, P. Bertault-Peres, C. Coulange, Y. Berland and C. Penot Ragon*

279 Genetic polymorphism of *CYP2D6* in Chinese subjects in Malaysia: *R. Ismail, L. K. Teh, J. Amir, Z. Alwi and C. G. Lopez*

285 The safety of spironolactone treatment in patients with heart failure: *C. Anton, A. R. Cox, R. D. S. Watson and R. E. Ferner*

289 The impact of therapeutic doses of paracetamol on serum total antioxidant capacity: *S. L. Nuttall, J. N. Khan, G. H. Thorpe, N. Langford and M. J. Kendall*

295 Preventing drug-related morbidity – the development of quality indicators: *C. J. Morris and J. A. Cantrill*

307 Paracetamol poisoning – impact of pack size restrictions: *B. Hughes, A. Durran, N. J. Langford and D. Mutimer*

311 The provision of pharmaceutical care in Denmark: a cross-sectional survey: *C. Rossing, E. H. Hansen and I. Krass*

319 *In vitro* inhibitory effects of Kampo medicines on metabolic reactions catalyzed by human liver microsomes: *K. Takahashi, E. Uejima, T. Morisaki, K. Takahashi, N. Kurokawa and J. Azuma*

Case Report

329 Is oral azithromycin effective for the treatment of cyclosporine-induced gingival hyperplasia in cardiac transplant recipients?: *D. Strachan, I. Burton and G. J. Pearson*

Research Note

339 Use of pharmacoeconomics in prescribing research. Part 4: is cost-utility analysis a useful tool?: *R. Brinsmead and S. Hill*

NUMBER 5

Commentary

347 Optimizing digoxin dosage: the long winding road: *A. Li Wan Po and M. J. Kendall*

Original Articles

349 Stability of intravesical epirubicin infusion: a sequential temperature study: *G. J. Sewell, A. E. Rigby-Jones and M. J. Priston*

355 Hypoglycaemia in patients with liver diseases administered levothyroxine: *N. Iihara, K. Kurokohchi, T. Tsukamoto, T. Masaki, S. Kuriyama, H. Ohnishi, T. Taminato and S. Morita*

363 Stability of reconstituted parecoxib for injection with commonly used diluents: *I. M. Crane, M. G. Mulhern and S. Nema*

371 The role of low-molecular-weight heparins in cardiovascular medicine: *R. Hödl and W. Klein*

379 Double-blind comparison of fluoxetine and nortriptyline in the treatment of moderate to severe major depression: *S. Akhondzadeh, H. Faraji, M. Sadeghi, K. Afkham, H. Fakhrzadeh and A. Kamalipour*

385 Rapid i.v. loading with phenytoin with subsequent dose adaptation using non-steady-state serum levels and a Bayesian forecasting computer program to predict maintenance doses: *E. F. Martinelli and S. F. Mühlebach*

395 Asthma management by New Zealand pharmacists: a pharmaceutical care demonstration project: *L. Emmerton, J. Shaw and N. Kheir*

403 Fas/FasL expression in tumor biopsies: a prognostic response factor to fluoropyrimidines?: *K. Bezulier, F. Fina, M. Roussel, S.-S. Bun, J. Ciccolini, P.-M. Martin, G. Milano, C. Aubert and Y. Barra*

409 Negotiating medications: patient perceptions of long-term medication use: *P. C. Carder, N. Vuckovic and C. A. Green*

419 Effects of fenofibrate on endothelial function and cell adhesion molecules during post-prandial lipemia in hypertriglyceridemia: *S. Marchesi, G. Lupattelli, R. Lombardini, A. R. Roscini, D. Siepi, G. Vaudo, M. Pirro, H. Sinzinger, G. Schillaci and E. Mannarino*

425 Application of artificial neural network modelling to identify severely ill patients whose aminoglycoside concentrations are likely to fall below therapeutic concentrations: *S. Yamamura, R. Takehira, K. Kawada, K. Nishizawa, S. Katayama, M. Hirano and Y. Momose*

Research Note

433 Use of pharmacoeconomics in prescribing research. Part 5: modelling – beyond clinical trials: *D. L. Lang, R. Lopert and S. R. Hill*

NUMBER 6

Commentary

441 Blood pressure – lower targets, greater challenges: *A. M. A. Shehab and M. J. Kendall*

Original Articles

445 Physicians' prescribing attitudes to combined therapy with statins and fibrates: *M. Takada, M. Demizu and M. Shibakawa*

451 Relationship between erythrocyte lithium concentration and renal concentrating capacity: *S. Dashti-Khavidaki, S. A. Ahmadi-Abhari, P. Ghaeli, H. Farsam, A. R. Dehpour, M. Mahdavi-Mazdeh, Z.-N. Hatmi and F. Fahimi*

457 Stability of extemporaneously prepared saquinavir formulations: *L. K. Tan, J. C. Thenmozhiyal and P. C. Ho*

465 Application of cutaneous microdialysis to evaluate metronidazole and its main metabolite concentrations in the skin after a single oral dose: *S. Bielecka-Grzela and A. Klimowicz*

471 Stability of dopamine hydrochloride 0·5 mg/mL in polypropylene syringes: *J. U. Brænden, T. L. Stendal and C. B. Fagernæs*

475 Selecting outcome parameters in studies aimed at improving rational use of antibiotics – practical considerations: *S. Natsch, B. J. Kullberg, Y. A. Hekster and J. W. M. Meer*

479 Aminoglycoside and vancomycin serum concentration monitoring and mortality due to neonatal sepsis in Saudi Arabia: *E. S. El Desoky, A. A. Sheikh and A. Y. Al Hammadi*

485 Managing insomnia in the elderly – what prevents us using non-drug options?: *W. B. Dollman, V. T. LeBlanc and E. E. Roughead*

493 Involvement of cytochrome P450 2C9, 2E1 and 3A4 in trimethadione N-demethylation in human microsomes: *E. Tanaka, N. Kurata and H. Yasuhara*

497 Pharmacoepidemiologic investigation of a clonazepam-valproic acid interaction by mixed effect modeling using routine clinical pharmacokinetic data in Japanese patients: *E. Yukawa, T. Nonaka, M. Yukawa, S. Higuchi, T. Kuroda and Y. Goto*

505 Delayed adverse reactions to iodinated radiographic contrast media after coronary angiography: a search for possible risk factors: *N. Sakai, T. Sendo, Y. Itoh, Y. Hirakawa, A. Takeshita and R. Oishi*

Research Note

513 Use of health-related quality of life in prescribing research. Part 1: why evaluate health-related quality of life?: *M. J. Calvert and N. Freemantle*

523 Author and keyword index